

| Nr crt | Nr ac | data emiterii<br>autorizație | Valabilitat<br>e ac | perioada<br>de<br>executie | Nume<br>Prenume<br>solicitant | denumire investitie                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Adresa investitie         | nr cadastral | nr carte<br>funciara | valoare |
|--------|-------|------------------------------|---------------------|----------------------------|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|--------------|----------------------|---------|
| 1      | 50    | 04.05.2026                   | 24                  | 24                         | 65351                         | DEMOLARE C2, DEMOLARE PARTIALA C1 SI CONSTRUIRE<br>LOCUINTA INDIVIDUALA<br>S teren =3140,00 mp, Sc C1=120,60 mp cu H la<br>streasina=1.70, H max=2.68, REGIM DE INALTIME P ,<br>Sc C3 =121,27 mp REGIM DE INALTIME P+M, C2 cu H la<br>streasina=5.51, H max=7.45, POT=7.70%,CUT=0,12 , C1<br>CU SISTEM CONSTRUCTIV CHIRPICI, C2- SISTEM<br>CONSTRUCTIV: ZIDARIE PORTANTA, FUNDATII:<br>CONTINUE, ACOPERIS:SARPANTA LEMN ,SISTEM DE<br>INCALZIRE:SOBE, INVELITOARE: TABLA ,FINISAJ<br>EXTERIOR:TENCUIALA DECORATIVA,TAMPLARIE<br>EXTERIOR PVC AMENAJARE PARCARE INTERIOARA SI<br>RACORD UTILITATI CU INTRARE IN LEGALITATE | LUNCA CETATUII,<br>DJ 248 | 65351        | 65351                | 507239  |
| 2      | 51    | 05.05.2026                   | 24                  | 24                         | 74271                         | CONSTRUIRE LOCUINTA, S teren =332,00 mp, Sc<br>=94,95 mp, REGIM DE INALTIME P ,H la streasina=3,00,<br>H max=4.45, POT=28.95 %,CUT=0,285 ,SISTEM<br>CONSTRUCTIV: ZIDARIE PORTANTA, FUNDATII:<br>CONTINUE, ACOPERIS:SARPANTA LEMN ,SISTEM DE<br>INCALZIRE:CENTRALA, INVELITOARE: TABLA ,FINISAJ<br>EXTERIOR:TENCUIALA DECORATIVA,TAMPLARIE<br>EXTERIOR PVC AMENAJARE PARCARE INTERIOARA SI<br>RACORD UTILITATI                                                                                                                                                                                                             | HLINCEA,<br>STANJENEILOR  | 74271        | 74271                | 113940  |

|   |    |            |    |    |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                          |       |       |         |
|---|----|------------|----|----|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-------|-------|---------|
| 3 | 52 | 05.05.2026 | 24 | 24 | 74272                        | <p><u>CONSTRUIRE LOCUINTA, S teren =356,00 mp, Sc =104,90 mp, REGIM DE INALTIME P, H la streasina=3,00, H max=4.45, POT=29.46 %,CUT=0,294</u><br/> <u>,SISTEM CONSTRUCTIV: ZIDARIE PORTANTA, FUNDATII:</u><br/> <u>CONTINUE, ACOPERIS:SARPANTA LEMN ,SISTEM DE INCALZIRE:CENTRALA, INVELITOARE: TABLA ,FINISAJ</u><br/> <u>EXTERIOR:TENCUIALA DECORATIVA,TAMPLARIE</u><br/> <u>EXTERIOR PVC AMENAJARE PARCARE INTERIOARA SI RACORD UTILITATI</u></p>                                                                                                                                                                                                  | HLINCEA,<br>STANJENEILOR | 74272 | 74272 | 125880  |
| 4 | 53 | 07.05.2026 | 24 | 24 | 64123                        | <p><u>CONSTRUIRE LOCUINTA, S teren =514,00 mp, Sc =151,40 mp, REGIM DE INALTIME P, H la streasina=3,15, H max=4.90, POT=29.45 %,CUT=0,29</u><br/> <u>,SISTEM CONSTRUCTIV: ZIDARIE PORTANTA, FUNDATII:</u><br/> <u>CONTINUE, ACOPERIS:SARPANTA LEMN ,SISTEM DE INCALZIRE:CENTRALA, INVELITOARE: TABLA ,FINISAJ</u><br/> <u>EXTERIOR:TENCUIALA DECORATIVA,TAMPLARIE</u><br/> <u>EXTERIOR PVC AMENAJARE PARCARE INTERIOARA SI RACORD UTILITATI</u></p>                                                                                                                                                                                                   | Ciurea, Brandusei        | 64123 | 64123 | 181680  |
| 5 | 54 | 19/05/226  | 24 | 24 | SC Atelierul<br>Meseriasului | <p><u>CONSTRUIRE LOCUINTA COLECTIVA CU SPATIU COMERCIAL, S teren =2058,00 mp, Sc =308,03 mp, Sd=924,09 mp, REGIM DE INALTIME D+ P+1E ,H la streasina=6.00, H max=8.30, POT=14,96 %,CUT=0,44</u><br/> <u>,SISTEM CONSTRUCTIV: ZIDARIE PORTANTA, FUNDATII:</u><br/> <u>CONTINUE, ACOPERIS:SARPANTA LEMN ,SISTEM DE INCALZIRE:CENTRALA, INVELITOARE: TABLA ,FINISAJ</u><br/> <u>EXTERIOR:TENCUIALA DECORATIVA,TAMPLARIE</u><br/> <u>EXTERIOR PVC, AMPLASARE HIDRANT, AMENAJARE SPATII VERZI, AMPLASARE CONTAINERE CAPSULATE</u><br/> <u>PENTRU COLECTARE SELECTIVA A DESEURILOR PE FIECATE TIP, AMENAJARE PARCARE INTERIOARA SI RACORD UTILITATI</u></p> | Hlincea, str Cortez      | 74341 | 74341 | 1109000 |

|   |    |            |    |    |                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                   |       |       |        |
|---|----|------------|----|----|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-------|-------|--------|
| 6 | 55 | 20.05.2026 | 24 | 24 | 69931                      | <p>CONSTRUIRE LOCUINTA, S teren =500,00 mp, Sc =75,36 mp, Sd= 159,12 mp, REGIM DE INALTIME S(partial)+P+1E ,H la streasina=5.55, H max=7.30, POT=15,07 %,CUT=0,31 ,SISTEM CONSTRUCTIV: ZIDARIE PORTANTA, FUNDATII: CONTINUE, ACOPERIS:SARPANTA LEMN ,SISTEM DE INCALZIRE:CENTRALA TERMICA, INVELITOARE: TABLA ,FINISAJ EXTERIOR:TENCUIALA DECORATIVA,TAMPLARIE EXTERIOR PVC AMENAJARE PARCARE INTERIOARA SI RACORD UTILITATI</p>                                  | Lunca Cetatuii, str Privighetorii | 69931 | 69931 | 238680 |
| 7 | 56 | 20.05.2026 | 24 | 24 | SC MKD<br>RESIDENCE<br>SRL | <p>ALIMENTARE CU ENERGIE ELECTRICA A OBIECTIVULUI LOCUINTE COLECTIVE CU SPATII COMERCIALE( NC 74355) SAT LUNCA CETATUII, COMUNA CIUREA ,JUDETUL IASI-DIN TDJT 1 al PTAb 25 Lunca Cetatuii se va echipa un circuit cu cablu tip NA2XBY 3X240+120 mmp IN LUNGIME DE 80,00 M PANA LA fg e2-4 nr 1 PROIECTATA, ALIMENTAREA DE REZERVA DIN FG E 2-4 NR 7 SE VA TRASA CABLU TIP Na2XBY 3X240+120 mmp IN LUNGIME DE 220,0 M PANA LA TDJT 2 AL PTAb 25 Lunca Cetatuii</p> | Lunca Cetatuii                    | 74355 | 74355 | 347625 |
| 8 | 57 | 20.05.2026 | 24 | 24 | 74150                      | <p>CONSTRUIRE LOCUINTA, S teren =1200 ,00 mp, Sc =175,30 mp, Sd =175,30 MP REGIM DE INALTIME P ,H la streasina=2,90, H max= 6,20, POT=14,60 %,CUT=0,146 ,SISTEM CONSTRUCTIV: - ZIDARIE PORTANTA, FUNDATII: CONTINUE, ACOPERIS:SARPANTA LEMN ,SISTEM DE INCALZIRE:CENTRALA, INVELITOARE: TABLA ,FINISAJ EXTERIOR:TENCUIALA DECORATIVA,TAMPLARIE EXTERIOR PVC, PVC AMENAJARE PARCARE INTERIOARA, AMPLASARE FOSA SEPTICA ECOLOGICA SI RACORD UTILITATI</p>           | Ciurea, DJ 248C                   | 74150 | 74150 | 210630 |

|    |    |            |    |    |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                               |       |       |        |
|----|----|------------|----|----|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------|-------|--------|
| 9  | 58 | 20.05.2026 | 24 | 24 | 66094 | <u>EXTINDERE IMOBIL EXISTENT, S teren =520,00 mp, Sc</u><br><u>mentinuta =56,00 mp,Sc propusa =40,00 mp, Sc</u><br><u>total=96,00 mp, Sd mentinuta =112,00 mp,Sd propusa</u><br><u>=40,00 mp, Sd total=152,00 mp,H la streasina=3,10, H</u><br><u>max=4,16, POT=18,24 %,CUT=0,292 ,SISTEM</u><br><u>CONSTRUCTIV: ZIDARIE PORTANTA, FUNDATII:</u><br><u>CONTINUE, ACOPERIS:SARPANTA LEMN ,SISTEM DE</u><br><u>INCALZIRE:CENTRALA, INVELITOARE: TABLA ,FINISAJ</u><br><u>EXTERIOR:TENCUIALA DECORATIVA,TAMPLARIE</u><br><u>EXTERIOR</u>                                                                                                                                      | Lunca Cetatuii,<br>Principala | 66094 | 66094 | 107080 |
| 10 | 59 | 21.05.2026 | 24 | 24 | 72567 | <u>CONSTRUIRE LOCUINTA, S teren =1195 ,00 mp, Sc C1</u><br><u>=113,00 mp, REGIM DE INALTIME D+P ,H la</u><br><u>streasina=7,57, H max= 7,57, POT=12,71 %,CUT=0,21</u><br><u>,SISTEM CONSTRUCTIV: - CADRE DIN BA, FUNDATII:</u><br><u>BETON ARMAT, ACOPERIS:SARPANTA LEMN ,SISTEM DE</u><br><u>INCALZIRE:IN PARDOSEALA, TABLA GRI ANTRACIT</u><br><u>,FINISAJ EXTERIOR:TENCUIALA DECORATIVA,TAMPLARIE</u><br><u>EXTERIOR PVC, PARCARE ACOPERITA CU Sc C2=40,00</u><br><u>MP SISTEM CONSTRUCTIV: - CADRE METAL, FUNDATII:</u><br><u>BETON ARMAT, ACOPERIS:SARPANTA LEMN ,SISTEM DE</u><br><u>INCALZIRE/,FINISAJ EXTERIOR:CARAMIDA APARENTA SI</u><br><u>RACORD UTILITATI</u> | Hlincea, Greierului           | 72567 | 72567 | 425000 |